# IEC SCIENTIFIC REFERENCES AVAILABLE - LISTED BY BROAD TOPICS AND PUBLICATION DATE

## **Avian Influenza:**

Davidson, I. et al. (2010). Avian influenza virus H9N2 survival at different temperatures and pHs. Avian Diseases <u>54:</u> 725-728

Hsu, S.M et al. (2012). Efficacy of Avian influenza vaccine in Poultry: a meta-analysis. Avian Diseases <u>54:</u> 1197-1209

Ameji, O.N. et al (2012). Awareness, knowledge, readiness to report outbreak and biosecurity practices towards highly pathogenic avian influenza in Kogi State, Nigeria. International Journal of Poultry Science 11: 11-15

Burgos Cáceres, S. (2012). A case study on the roles of nongovernmental organizations in influencing decisions regarding highly pathogenic avian influenza in Cambodia. World's Poultry Science Journal <u>68:</u> 281-291

Martins, N. et al. (2012). An overview on Avian Influenza. Brazilian Journal of Poultry Science 14: 71-85

Pantin-Jackwood, M.J. et al. (2012). Low pathogenicity Avian influenza viruses infect layers by different routes of inoculation. Avian Diseases 56: 276-281

Reis, A. et al. (2012). Tenacity of low-pathogenic avian influenza viruses in different types of poultry litter. Poultry Science <u>91:</u> 1745-1750

Duvauchelle, A. et al. (2013). Risk factors for the introduction of avian influenza virus in breeder duck flocks during the first 24 weeks of laying. Avian Pathology 42: 447-456

Guan, J. et al. (2013). Aerosol transmission of an Avian Influenza H9N2 virus with a tropism for the respiratory track of chickens. Avian Diseases <u>57:</u> 645-949

Jang, Y. et al. (2014). Evaluation of changes induced by temperature, contact time, and surface in the efficacies of disinfectants against avian influenza virus. Poultry Science 93: 70-76

## **Beak Trimming:**

Cunningham, D.L. (1992). Beak trimming effects on performance, behavior and welfare of chickens: a review. J. Appl. Poultry Res. 1: 129-134

Maizama, D.G. et al. (1994). Effect of beak trimming, blade temperature, and age at beak trimming on performance of two strains of egg layers. J. Appl. Poultry Res. 3: 69-73

Hester, P.Y. et al. (2003). Beak trimming egg-laying strains of chickens. World's Poultry Science Journal <u>59:</u> 458-474

Honaker, C.F. et al. (2004). The effect of claw and beak reduction on growth parameters and fearfulness of two leghorn strains. Poultry Science <u>83</u>: 873-881

Cheng, H. (2006). Morphopathological changes and pain in beak trimmed laying hens. World's Poultry Science Journal <u>62</u>: 41-52

Kuenzel, W.J. (2007). Neurobiological basis of sensory perception: welfare implications of beak trimming. Poultry Science <u>86</u>: 1273-1282

Fahey, A.G. et al. (2007). Relationship between body weight and beak characteristics in one-day old White Leghorn chicks: its implications for beak trimming. Poultry Science 86: 1312-1315

Dennis, R.L et al. (2009). Infrared beak treatment method compared with conventional hot-blade trimming in laying hens. Poultry Science <u>88</u>: 38-43

Dennis, R.L. et al. (2010). A comparison of infrared and hot blade beak trimming in laying hens. International Journal of Poultry Science 9: 716-719

Angevaare, M.J. et al. (2012). The effect of maternal care and infrared beak trimming on development, performance and behavior of Silver Nick hens. Applied Animal Behaviour Science 140: 70-84

Carruthers, C. et al. (2012). On-farm survey of beak characteristics in White Leghorns as a result of hot blade trimming or infrared beak treatment. Journal of Applied Poultry Research 21: 645-650

Dennis, R.L. et al. (2012). Effects of different infrared beak treatment protocols on chicken welfare and physiology. Poultry Science <u>91:</u> 1499-1505

## **Behaviour – General:**

Abeyesinghe, S. et al. (2009). Investigating social discrimination of group members of laying hens. Behavioural Processes <u>81</u>: 1-13

Mollenhorst, H. et al. (2008). Behaviour-based simulation of facility demand of laying hens. Biosystems Engineering 100: 581-590

O'Connor, E. et al. (2011). The relationship between the comb and social behavior in laying hens. Applied Animal Behaviour science 135: 293-299

Daigle, C.L. et al. (2012). Noncaged laying hens reamin unflappable while wearing body-mounted sensors: Levels of agonistic behaviors remain unchanged and resource use is not reduced after habituation. Poultry Science 91: 2415-2423

Overall, K.L. (2012). Behavior affects welfare across species. Journal of Veterinary Behavior <u>7:</u> 325-326

Zidar, J. et al. (2012). Scent of the enemy: behavioural responses to predator faecal odour in the fowl. Animal Behaviour <u>84:</u> 547-554

Kuhne, F. et al. (2013). The discrimination-learning task determines the kind of frustration-related behaviours in laying hens (*Gallus gallus domesticus*). Applied Animal Behaviour Science <u>148</u>: 192-200

Oppermann Moe, R. et al. (2013). Effects of signaled reward type, food status and a  $\mu$ -opiod receptor antagonist on cue-induced anticipatory behaviour in laying hens (*Gallus domesticus*). Applied Animal Behaviour Science <u>148</u>: 46-53

Seehuus, B. et al. (2013). Disrupting motivational sequences in chicks: Are there affective consequences? Applied Animal Behaviour Science <u>148</u>: 85-92

## **Biodivesity:**

Hoffmann, I. (2009). The global plan of action for animal genetic resources and the conservation of poultry genetic resources. Word's Poultry Science Journal <u>65:</u> 286-297

Hoffmann, I. et al. (2011). The global plan of action for animal genetic resources – The road to common understanding and agreement. Livestock Science <u>136:</u> 7-14

## **Bones / Skeleton:**

Fleming, R.H. et al. (2004). Incidence, pathology and prevention of keel bone deformities in the laying hen. Br. Poultry Science <u>45</u>: 320-330

Webster, A.B. (2004). Welfare implications of avian osteoporosis. Poultry Science <u>83</u>: 184-192

Whitehead, C.C. (2004). Overview of bone biology in the egg-laying hen. Poultry Science 83: 193-199

Leyendecker, M. et al. (2005). Keeping laying hens in furnished cages and an aviary housing system enhances their bone stability. Br. Poultry Science 46: 536-544

Jendral, M.J. et al. (2008). Bone mineral density and breaking strength of White Leghorns housed in conventional, modified, and commercially available colony battery cages. Poultry Science <u>87</u>: 828-837

Käppeli, S. et al. (2011). Prevalence of keel bone deformities in Swiss laying hens. British Poultry Science <u>52</u>: 531-536

Käppeli, S. et al. (2011). Effects of housing, genetics, and 25-hydroxycholecalciferol on keel bone deformities in laying hens. Poultry Science <u>90:</u> 1637-1644

Saki, A. et al. (2011). Assessing bone mineral density, eggshell characteristics and their relationship at peak egg production of laying hens in response to various levels of vitamin C. Brazilian Journal of Poultry Science 13: 203-206

Donaldson, C. et al. (2012). Aerial perches and free-range laying hens: The effect of access to aerial perches and of individual bird parameters on keel bone injuries in commercial free-range laying hens. Poultry Science 91: 304-315

Kim, W.K. et al. (2012). Concepts and methods for understanding bone metabolism in laying hens. World's Poultry Science Journal <u>68:</u> 71-82

Silversides, F. et al. (2012). Comparison of bones of 4 strains of laying hens kept in conventional cages and floor pens. Poultry Science 91: 1-7

# **Cannibalism:**

Tablante, N.L. et al. (2000). Spatial distribution of cannibalism mortalities in commercial laying hens. Poultry Science <u>79</u>: 705-708

Cloutier, S. et al. (2002). A note on aggression and cannibalism in laying hens following re-housing and re-grouping. Applied Animal Behaviour Science <u>76:</u> 157-163

Yngvesson, J. et al. (2004). Individual production differences do not explain cannibalistic behaviour in laying hens. Br. Poultry Science <u>45</u>: 453-462

Weitzenbürger, D. et al. (2005). Effect of furnished small group housing systems and furnished cages on mortality and causes of death in two layer strains. Br. Poultry Science <u>46</u>: 553-559

Dennis, R. et al. (2011). The dopaminergic system and aggression in laying hens. Poultry Science <u>90:</u> 2440-2448

Kalmendal, K. et al. (2012). Effects of a high oil and fibre diet and supplementary roughage on performance, injurious pecking and foraging activities in two layer hybrids. British Poultry Science <u>53:</u> 153-161

## **Egg – Human nutrition & health:**

Horrocks, L.A. et al. (1999). Health benefits of docosahexaenoic acid (DHA). Pharmacological Research 40: 211-225

Applegate, E. (2000). Introduction: Nutritional and functional roles of eggs in the diet. J. of the American College of Nutrition <u>19:</u> 495S-498S

Gilbert, L.C. (2000). The functional food trend: what's next and what Americans think about eggs. J. of the American College of Nutrition 19: 507S-512S

Song, W.O. et al. (2000). Nutritional contribution of eggs to American diets. J. of the American College of Nutrition <u>19:</u> 556S-562S

Surai, P.F. et al. (2001). Designer eggs: from improvement of egg composition to functional food. Trends in Food Science & Technology <u>12</u>: 7-16

Granado, F. et al. (2003). Nutritional and clinical relevance of lutein in human health. British Journal of Nutrition 90: 487-502

Chandra, R.K. (2004). Impact of nutritional status and nutrient supplements on immune responses and incidence of infection in older individuals. Ageing Research Reviews 3: 91-104

Bourre, J-M. (2005). L'oeuf naturel multi-enrichi: des apports élevés en nutriments, notamment acides gras omega-3, en vitamins, minéraux et caroténoïdes. Médicine et Nutrition 41: 116-134

Eilander, A. et al. (2007). Effects of n-3 long chain polyunsaturated fatty acid supplementation on visual and cognitive development throughout childhood: A review of human studies. Prostaglandins, Leukotrienes and Essential Fatty Acids 76: 189-203

Anonymous (2008). Briefing paper: Hunger on the rise. FAO website www.fao.org/newsroom/en/news/2008/1000923 accessed 01/09/2009

Djoussé, L. et al. (2008). Egg consumption in relation to cardiovascular disease and mortality: the Physicians' Health Study. American Journal of Clinical Nutrition <u>87:</u> 964-969

Lukiw, W.J. et al. (2008). Docosahexaenoic acid and the aging brain. Journal of Nutrition

Zhao, L. et al. (2008). Lutein and zeaxanthin for macular degeneration. American Journal Health-System Pharmacists 65: 1232-1238

FAO (2009). Food Security Statistics. FAO website <a href="http://www.fao.org/economic/ess/food-security-statistics/en/">http://www.fao.org/economic/ess/food-security-statistics/en/</a> accessed 01/09/2009

Shapira, N. (2010). Every egg may have a targeted purpose: toward a differential approach to egg according to composition and functional effect. World's Poultry Science Journal 66: 271-284

Anderson, K.E. (2011). Comparison of fatty acid, cholesterol, and vitamin A and E composition in eggs from hens housed in conventional cage and range production facilities. Poultry Science <u>90:</u> 1600-1608

# **Egg quality:**

Barbosa Fihlo, J.A.D. et al. (2005). Egg quality in layers housed in different production systems and submitted to two environmental conditions. Brazilian Journal of Poultry Science 8: 23-28

Reu, de, K. et al. (2005). Bacterial eggshell contamination in conventional cages, furnished cages and aviary housing systems for laying hens. Br. Poultry Science  $\underline{46}$ : 149-155

Guesdon, V. et al. (2006). Effects of beak trimming and cage design on laying hen performance and egg quality. Br. Poultry Science <u>47:</u> 1-12

Mallet, S. et al. (2006). Comparison of eggshell hygiene in two housing systems: Standard and furnished cages. Br. Poultry Science <u>47:</u> 30-35

Blockhuis, H.J et al. (2008). Animal welfare's impact on the food chain. Trends in Food Science & Technology 19: S79-S87

Reu, de, K. et al. (2008). Bacterial contamination of table eggs and the influence of housing systems. World's Poultry Science Journal 64: 5-19

Wall, H. et al. (2008b). Bacterial contamination of eggshells in furnished and conventional cages. J. Appl. Poultry Res. <u>17:</u> 11-16

Sossidou, E.N. et al. (2009). Hens' welfare to egg quality: a European perspective. World's Poultry Science Journal <u>65</u>: 709-718

Huneau-Salaűn, V. et al. (2010). Factors influencing bacterial eggshell contamination in conventional cages, furnished cages and free-range systems for laying hens under commercial conditions. Br. Poultry Science <u>51:</u> 163-169

Szablewski, T. et al. (2010). Ergosterol as an indicator of the presence of microscopic fungi in eggs for human consumption produced in different husbandry systems. Poultry Science 89: 2491-2493

Hannah, J. et al. (2011). Comparison of shell bacteria from unwashed and washed table eggs harvested from caged laying hens and cage-free floor-housed laying hens. Poultry Science <u>90:</u> 1586-1893

Holt, P.S. et al. (2011). The impact of different housing systems on egg safety and quality. Poultry Science <u>90:</u> 251-262

Jones, D.R. et al. (2011). Comparison of environmental and egg microbiology associated with conventional and free-range laying hen management. Poultry Science 90: 2063-2068

Yang, T. et al. (2011). Melamine residues in eggs of laying hens exposed to melamine-contaminated feed. Poultry Science <u>90:</u> 701-704

Alvarez-Fernandez, E. et al. (2012). Influence of housing systems on microbial load and antimicrobial resistance patterns of *Escherichia coli* isolates from eggs produced for human consumption. Journal of Food Protection <u>75:</u> 847-853

Jones, D.R. et al. (2012). Prevalence of coliforms, *Salmonella, Listeria,* and *Campylobacter* associated with eggs and the environment of conventional cage and free-range egg production. Poultry Science 91: 1195-1202

Vandenberge, V. et al. (2012). Transfer of flubendazole and tylosin at cross contamination levels in the feed to egg matrices and distribution between egg yolk and egg white. Poultry Science 91: 1248-1255

Wolc, A. et al. (2012). Genetic parameters of egg defects and egg quality in layer chickens. Poultry Science 91: 1292-1298

## **Environment / Ammonia / Emissions:**

Wathes, C.M. et al. (1997). Concentrations and emission rates of aerial ammonia, nitrous oxide, methane, carbon dioxide, dust and endotoxin in UK broiler and layer houses. Br. Poultry Science 38: 14-28

Groot Koerkamp, P.W.G et al. (1998). Litter composition and ammonia emission in aviary houses for laying hens. Part I: Performance of a litter drying system. J. Agric. Engng. Res. <u>70:</u> 375-382

Horne, van, P.L.M. et al. (1998). Economics of controlling ammonia emission from commercial layer farms. J. Appl. Poultry Res. <u>7:</u> 61-68

Groot Koerkamp, P.W.G et al. (1999a). Litter composition and ammonia emission in aviary houses for laying hens. Part II: Modelling the evaporation of water. J. Agric. Engng. Res. <u>73:</u> 353-362

Groot Koerkamp, P.W.G et al. (1999b). Litter composition and ammonia emission in aviary houses for laying hens. Part III: Water flow to the litter through fresh droppings. J. Agric. Engng. Res. <u>73:</u> 363-371

Kristensen, H.H. et al. (2000). The preferences of laying hens for different concentrations of atmospheric ammonia. Applied Animal Behaviour Science <u>68:</u> 307-318

Wachenflet, von E. et al. (2001). Release of heat, moisture and carbon dioxide in an aviary system for laying hens. Br. Poultry Science 42: 171-179

Tamminga, S. (2003). Pollution due to nutrient losses and its control in European animal production. Livestock Production Science <u>84:</u> 101-111

Ritz, C.W. et al. (2004). Implications of ammonia production and emissions from commercial poultry facilities: a review. J. Appl. Poultry Res. <u>13:</u> 684-692

Nicholson, F.A. et al. (2004). Ammonia emissions from broiler litter and laying hen manure management systems. Biosystems Engineering 89: 175-185

Ellen, H.H. (2005). Emissions, regulations and impact in the European Union and The Netherlands. J. Appl. Poultry Res. 14: 651-655

Powers, W.J. et al. (2005). Air emissions in poultry production: current challenges and future directions. J. Appl. Poultry Res. 14: 613-621

Aarnink, A.J.A. et al. (2006). Ammonia emission and nutrient load in outdoor runs of laying hens. NJAS – Wageningen Journal of Life Sciences <u>54:</u> 223-234

Pratt, E.V. et al. (2006). Reducing gaseous nitrogen loss from stored laying hen manure by the addition of carbohydrates. Br. Poultry Science <u>47:</u> 103-109

Tasistro, A.S. et al. (2007). Ammonia emissions from broiler litter: response to bedding materials and acidifiers. Br. Poultry Science <u>48:</u> 399-405

Wu-Haan, W. et al. (2007). Effect of an acidifying diet combined with Zeolite and slight protein reduction on air emissions from layiong hens of differnt ages. Poultry Science 86: 182-190

Adrizal et al. (2008). The potential for plants to trap emissions from farms with laying hens. 2. Ammonia and dust. J. Appl. Poultry Res. <u>17:</u> 398-411

Dämmgen, U. et al. (2006). The development of the EMEP/CORINAIR guidebook with respect to the emissions of different nitrogen and carbon species from animal production. Agriculture, Ecosystems and Environment 112: 241-248

Tukker, A. et al. (2006). Environmental impacts of products. A detailed review of studies. Journal of Industrial Ecology 10: 159-182

Li, H. et al. (2008). Reduction of ammonia emission from stored laying hens manure through topical application of zeolite, Al+Clear, Ferix-3, or poultry litter treatment. J. Appl. Poultry Res. <u>17:</u> 421-431

Patterson, P.H. et al. (2008). The potential for plants to trap emissions from farms with laying hens. 1. Ammonia. J. Appl. Poultry Res. <u>17:</u> 54-63

Powers, W. et al. (2008). A review of the capacity for nutritional strategies to address environmental challenges in poultry production. Poultry Science 87: 1929-1938

Roumeliotis, T.S. et al. (2008). Summary of ammonia and particulate matter emission factors for poultry operations. The potential for plants to trap emissions from farms with laying hens. 1. Ammonia. J. Appl. Poultry Res. <u>17:</u> 305-314

Siegford, J.M. et al. (2008). Environmental aspects of ethical animal production. Poultry Science 87: 380-386

Carlsson-Kanyama, A. et al. (2009). Potential contributions of food consumption patterns to climate change. American Journal of Clinical Nutrition <u>89 (Suppl.):</u> 1704S-1709S

Flachowsky, G. et al. (2009). CO<sub>2</sub> footprint for food of animal origin – Present stage and open questions. J. Verbr. Lebensm. <u>4</u>: 190-198

Garnett, T. (2009). Livestock-related greenhouse gas emissions: impacts and options for policy makers. Environmental Science & Policy 12: 491-503

Kim, B. et al. (2009). Measurement and communication of greenhouse gas emissions from U.S. food consumption via carbon calculators. Ecological Economics <u>69:</u> 186-196

Kitzes, J. et al. (2009). Answers to common questions in Ecological footprint accounting. Ecological Indicators <u>9:</u> 812-817

Howard, C.J. et al. (2010). Direct measurements of the ozone formation potential from livestock and Poultry waste emissions. Environmental Science & Technology <u>44:</u> 2292-2298

Ni, J.Q. et al. (2010). Characteristics of ammonia and carbon dioxide releases from layer hen manure. Br. Poultry Science 51: 326-334

Burley, H. et al. (2011). The potential of vegetative buffers to reduce dust and respiratory virus transmission from commercial poultry farms. Journal of Applied Poultry Research 20: 210-222

Chadwick, D. et al. (2011). Manure management: Implications for greenhouse gas emission. Animal Feed Science and Technology <u>166-167</u>: 514-531

Huneau-Salaűn, A. et al. (2011). Endotoxin concentration in poultry houses for laying hens kept in cages or in alternative housing systems. British Poultry Science <u>52:</u> 523-530

Meda, B. et al. (2011). Influence of rearing conditions and manure management practices on ammonia and greenhouse gas emissions from poultry houses. World's Poultry Science Journal 67: 441-455

Neijat, M. et al. (2011). Production performance and nitrogen flow of Shaver White layers housed in enriched or conventional cage systems. Poultry science 90: 543-554

Xin, H. et al. (2011). Environmental impacts and sustainability of egg production systems. Poultry Science <u>90:</u> 263-277

Le Bouqin, S. et al. (2013). Aerial dust concentration in cage-housed, floor-housed, and aviary facilities for laying hens. Poultry Science <u>92:</u> 2837-2833

## **Environment – LCA**

Zabaniotou, A. et al. (2003). Life cycle assessment applied to egg packaging made from polystyrene and recycled paper. Journal of Cleaner Production <u>11:</u> 549-559

McMichael, A. et al. (2007). Food, livestock production, energy, climate change and health. Lancet <u>370</u>: 1253-1263

Weber, C.L. et al. (2008). Food-miles and the relative climate impacts of food choices in the United States. Environmental Science & Technology <u>42</u>: 3508-3513

Vergé, X.P.C. et al. (2009). Long-term trends in greenhouse gas emissions from the Canadian poultry industry. Journal of Applied Poultry Research <u>18:</u> 210-222

Canadell, J.G. et al. (2010). Interactions of the carbon cycle, human activity, and the climate system: a research portfolio. Current Opinion in Environmental Sustainability <u>2:</u> 301-311

Pelletier, N. et al. (2010). Forecasting potential global environmental costs of livestock production 2000-2050. Processing of the National Academy of Sciences <u>107:</u> 18371-18374

Vries, de M. et al. (2010). Comparing environmental impacts for livestock products: A review of life cycle assessments. Livestock Science <u>128</u>: 1-11

Gadema, Z. et al. (2011). The use and usefulness of carbon labeling food: A policy perspective from a survey of UK supermarket shoppers. Food Policy 36: 815-822

Garnett, T. (2011). Where are the best opportunities for reducing greenhouse gas emissions in the food system (including the food chain)? Food Policy 36: S23-S32

Guinée, J.B. et al. (2011). Life cycle assessment : Past, present, and future. Environmental Science & technology <u>45:</u> 90-96

Aiking, H (2011). Future protein supply. Trends in Food Science & Technology <u>22</u>: 112-120

González, A. et al. (2011). Protein efficiency per unti energy and per unti greenhouse gas emisions: Potential contribution of diet choices to climate mitigation. Food Policy 36: 562-570

Oxenboll, K.M. et al. (2011). Use of a protease in Poultry feed offers promising environmental benefits. International Journal of Poultry Science 10: 842-848

Gooding, C. H. (2012). Data for the carbon footprint of rendering operations. Journal of Industrial Ecology <u>16</u>: 223-230

Leinonen, I. et al. (2012). Predicting the environmental impacts of chicken systems in the United Kingdom through a life cycle assessment: Broiler production systems. Poultry Science 91: 8-25

Leinonen, I. et al. (2012). Predicting the environmental impacts of chicken systems in the United Kingdom through a life cycle assessment: Egg production systems. Poultry Science 91: 26-40

Leinonen, I. et al. (2014). The effects of welfare-enhancing system changes on the environmental impacts of broiler and egg production. Poultry Science 93: 256-266

Pelletier, N. et al. (2014). Comparison of the environmental footprint of the egg industry in the United States in 1960 and 2010. Poultry Science <u>93:</u> 241-255

Taylor, R.C. et al. (2014). The greenhouse emissions footprint of free-range eggs. Poultry Science 93: 231-237

# Fear / Stress:

Jones, R.B. (1996). Fear and adaptability in poultry: insights, implications and imperatives. World's Poultry Science Journal <u>52</u>: 131-174

Cheng, H.W. et al. (2002). Social stress in laying hens: differential dopamine and corticosterone responses after intermingling different genetic strains of chickens. Poultry Science <u>81</u>: 1265-1272

Eath, D', R.B. (2003). Social discrimination and aggression by laying hens in large groups: from peck orders to social tolerance. Applied Animal Behaviour Science <u>84:</u> 197-212

Väisänen, J. et al. (2004). Responses of young red jungle fowl (*Gallus gallus*) and White leghorn layers to familiar and unfamiliar social stimuli. Poultry Science <u>83</u>: 335-343

Odén, K. et al. (2005). Effects of sex composition on fear measured as tonic immobility and vigilance behaviour in large flocks of laying hens. Applied Animal Behaviour Science <u>95:</u> 89-102

Onbaşilar, E.E. et al. (2005). Stress parameters and immune response of layers under different cage floor and density conditions. Livestock Production Science 95: 255-263

Fraisse, F. et al. (2006). Corticosterone and fear behaviour in white and brown caged laying hens. Br. Poultry Science <u>47:</u> 110-119

Odihambo Mumma, J. et al. (2006). Physiological stress in laying hens. Poultry Science <u>85</u>: 761-769

Anderson, K.E. et al. (2007). Effects of genetic selection on behavioral profiles of Single Comb White Leghorn hens through two production cycle. Poultry Science <u>86</u>: 1814-1820

Bulmer, E. et al. (2008). Chronic stress in battery hens: measuring corticosterone in laying hen eggs. International J. of Poultry Science 7: 880-883

Ghareeb, K. et al (2008). Stability of fear and sociality in two strains of laying hens. Br. Poultry Science <u>49:</u> 502-508

Graml, C. et al. (2008). Reaction of laying hens to humans in the home or a novel environment. Applied Animal Behaviour Science 113: 98-109

Icken, W. et al. (2008). Analysis of the free range behavior of laying hens and the genetic and phenotypic relationships with laying performance. Br. Poultry Science  $\underline{49}$ : 533-541

Lindqvist, C. et al. (2009). Effects of domestication on food depravation-induced behaviour in red junglefowl, *Gallus gallus*, and White Leghorn layers. Animal Behaviour <u>77:</u> 893-899

Singh, R. et al. (2009b). Invasive and noninvasive measurement of stress in laying hens kept in conventional cages and in floor pens. Poultry Science <u>88</u>: 1346-1351

Kuenzel, W.J. et al. (2010). Molecular neuroendocrine events during stress in poultry. Poultry Science 89: 832-840

Mertens, K. et al. (2010). The transmission color value: a novel egg quality measure for recording shell color used for monitoring the stress and health status of a brown layer flock. Poultry Science 89: 609-617

Mathlouthi, N. et al. (2011). Effects of yeast extract addition in diet on performances and feather pecking of pullets when raising under feed restriction and litter removal. International Journal of Poultry Science 10: 284-286

Nordquist, R.E. et al. (2011). Laying hens selected for low mortality: Behaviour in tests of fearfulness, anxiety and cognition. Applied Animal Bahaviour Science 131: 110-122

Anderson, K.E. et al. (2012). Effect of genetic selection on growth parameters and tonic immobility in Leghorn pullets. Poultry Science <u>91:</u> 765-770

Wilson, D.R. et al. (2012). Fowl communicate the size, speed and proximity of avian stimuli through graded structure in referential alarm calls. Animal Behaviour <u>83:</u> 535-544

## Feather pecking:

Savory, C.J. (1995). Feather pecking and cannibalism. World's Poultry Science Journal <u>51</u>: 215-219

Nicol, C.J. et al. (1999). Differential effects of increased stocking density, mediated by increased flock size, on feather pecking and aggression in laying hens. Applied Animal Behaviour Science <u>65</u>: 137-152

Pötzsch, C.J. et al. (2001). A cross-sectional study of the prevalence of vent pecking in laying hens in alternative systems and its associations with feather pecking, management and disease. Applied Animal Behaviour Science 74: 259-272

McAdie, T.M. et al. (2002). The social transmission of feather pecking in laying hens: effects of environment and age. Applied Animal Behaviour Science <u>75:</u> 147-159

Albentosa, M.J. et al. (2003). An evaluation of response to novelty as a predictor of pecking tendency in laying hens. Applied Animal Behaviour Science <u>82:</u> 313-328

Bestman, M. et al. (2003). Farm level factors associated with feather pecking in organic laying hens. Livestock Production Science <u>80:</u> 133-140

Rodenburg, T.B. et al. (2003). Heritability of feather pecking and open-field response of laying hens at two different ages. Poultry Science <u>83</u>: 861-867

Krimpen, van, M.M. et al. (2005). Impact of feeding management on feather pecking in laying hens. World's Poultry Science Journal <u>61</u>: 663-686

Rodenburg, T.B. et al. (2005b). Can short-term frustration facilitate feather pecking in laying hens? Applied Animal Behaviour Science 91: 85-101

Su, G. et al. (2005). Variance components and selection response for feather-pecking behavior in laying hens. Poultry Science 84: 14-21

Dixon, G. et al. (2006). Effect of diet change on the behavior of chicks of an egg-laying strain. J. Applied Animal Welfare Science 9: 41-58

Weerd, van de, H.A. et al. (2006). Rearing factors that influence the propensity for injurious feather pecking in laying hens. World's Poultry Science Journal <u>62</u>: 654-664

Bright, A. (2007). Plumage colour and feather pecking in laying hens, a chicken perspective? Br. Poultry Science <u>48:</u> 253-263

Newberry, R.C. et al. (2007). Behaviour when young as a predictor of severe feather pecking in adult laying hens: The redirected foraging hypothesis revisited. Applied Animal Behaviour Science 107: 262-274

Buitenhuis, A.J. et al. (2008). Long term selection for reduced or increased pecking behavior in laying hens. World's Poultry Science Journal <u>64:</u> 477-487

Ramadan, S.G.A. et al (2008). Role of loose feathers on the development of feather pecking in laying hens. Br. Poultry Science 49: 250-256

Rodenburg, T.B. et al. (2008). Selection method and early-life history affect behavioural development, feather pecking and cannibalism in laying hens: A review. Applied Animal Behaviour Science 110: 217-228

Shimmura, T. et al. (2008a). Pecking behaviour of laying hens in single-tier aviaries with and without outdoor area. British Poultry Science 49: 396-401

Bestman, M. et al. (2009). Influence of farm factors on the occurrence of feather pecking in organic reared hens and their predictability for feather pecking in the laying period. Applied Animal Behaviour Science <u>121</u>: 120-125

Uitdehaag, K.A. et al. (2009). Mixed housing of different genetic lines of laying hens negatively affects feather pecking and fear related behaviour. Applied Animal Behaviour Science 116: 58-66

Harlander-Matauschek, A. et al. (2009). Understanding feather eating behaviour in laying hens. Applied Animal Behaviour Science <u>117:</u> 35-41

Dixon, G. et al. (2010). Changes in substrate access did not affect early feather-pecking behavior in two strains of laying hen chicks. J. Applied Animal Welfare Science 13: 1-14

Drake, K.A. et al. (2010). Influence of rearing and lay risk factors on propensity for feather damage in laying hens. Br. Poultry Science <u>51:</u> 725-733

Haas, de E.N. et al. (2010). Selection on feather pecking affects response to novelty and foraging behaviour in laying hens. Applied Animal Behaviour Science 124: 90-96

Harlander-Matauschek, A. et al. (2010). Effect of an early bitter taste experience on subsequent feather-pecking behavior in laying hens. Applied Animal Behaviour Science 127: 108-114

Lambton, S.L. et al. (2010). The risk factors affecting the development of gentle and severe feather pecking in loose housed laying hens. Applied Animal Behaviour Science 123: 32-42

Rodenburg, T.B. et al. (2010). Fearfulness and feather damage in laying hens divergently selected for high and low feather pecking. Applied Animal Behaviour Science <u>128</u>: 91-96

Wysocki, M. et al. (2010). Genetic and physiological factors influencing feather pecking in chickens. World's Poultry Science Journal <u>66:</u> 659-671

Brumberg, E. at al. (2011). Fearther pecking behavior in laying hens: Hypothalamic gene expression in birds performing and receiving pecks. Poulry Science <u>90:</u> 1145-1152

Harlander-Matauschek, A. et al. (2011). Applying chemical stimuli on feathers to reduce feather pecking in laying hens. Applied Animal Behaviour Science <u>132</u>: 146-151

Kjaer, J.B. et al. (2011). Reducing stress during welfare inspection: validation of a non-intrusive version of the LayWel plumage scoring system for laying hens. British Poultry Science <u>52:</u> 149-154

Turner, S. (2011). Breeding against harmful social behaviours in pigs and chickens: State of the art and the way forward. Applied Animal Behaviour Science <u>134:</u> 1-9

Van Krimpen, M. et al. (2011). Effect of four processed animal proteins in the diet on behavior in laying hens. Applied Animal Behaviour Science 132: 138-145

Gilani, A-M. et al. (2012). The effect of dark brooders on father pecking on commercial farms. Applied Animal Behaviour Science <u>142:</u> 42-50

Kriegseis, I. et al. (2012). Feather-pecking response of laying hens to feather and cellulose-based rations fed during rearing. Poultry Science 91: 1514-1521

Gilani, A-M. et al. (2013). The effect of rearing environment on feather pecking in young and adult laying hens. Applied Animal Behaviour Science 148: 54-63

Nicol, C.J. et al. (2013). The prevention and control of feather pecking: application to commercial systems. World's Poultry Science Journal <u>69:</u> 775-787

# **Housing:**

#### **Aviaries:**

Appleby, M.C. et al. (1989). Behaviour of laying hens in a deep litter house. Br. Poultry Science 30: 545-553

Abrahamsson, P. et al. (1998). Performance and egg quality of laying hens in an aviary system. J. Appl. Poultry Res. 7: 225-232

Bubier, N.E. et al. (1998). Movement of flocks of laying hens in and out of the hen house in four free range systems. Br. Poultry Science <u>39</u>: S5-S6

Carmichael, N.L. et al. (1999). Laying hens in large flocks in a perchery system: influence of stocking density on location, use of resources and behaviour. Br. Poultry Science <u>40:</u> 165-176

Freire, R. et al. (2003). Behaviour and welfare of individual laying hens in a non-cage system. Br. Poultry Science <u>44:</u> 22-29

Aerni, V. et al. (2005). Productivity and mortality of laying hens in aviaries: a systematic review. World's Poultry Science Journal <u>61</u>: 130-142

Hegelund, L. et al. (2006). Welfare and productivity of laying hens in commercial organic egg production systems in Denmark. NJAS – Wageningen Journal of Life Sciences <u>54</u>: 147-155

Nicol, C.J. et al. (2006). Effects of stocking density, flock size and management on the welfare of laying hens in single-tier aviaries. Br. Poultry Science 47: 135-146

Zimmerman, P.H. et al. (2006). The effect of stocking density, flock size and modified management on laying hen behavior and welfare in a non-cage system. Applied Animal Behaviour Science 101: 111-124

Colson, S. et al. (2008). Influence of rearing conditions of pullets on space use and performance of hens in aviaries at the beginning of the laying period. Applied Animal Behaviour Science 111: 286-300

Graml, C. et al. (2008). Validation of tests for on-farm assessment of the hen-human relationship in non-cage systems. Applied Animal Behaviour Science 111: 301-310

Mertens, K. et al. (2009). Layers in aviary system: effects of beak trimming and alternative feed formulation on technical results and egg quality. J. Appl. Poultry Res. 18: 90-102

## **Conventional Cages:**

Roland, D.A. Sr. et al. (1997). Performance and profits of commercial leghorns as influenced by cage row position. J. Appl. Poultry Res. 6: 284-289

Hinkle, N.C. et al. (1999). California Caged layer Pest management evaluation. J. Appl. Poultry Res. <u>8:</u> 327-338

Rios, R.L. et al. (2009). Effect of cage density on the performance of 25- and 84-week-old laying hens. Brazilian Journal of Poultry Science 11: 257-262

Asghar Saki, A. et al. (2012). The effect of cage density on laying hen performance, egg quality, and excreta minerals. Journal of Applied Poultry Research 21: 467-475

Garner, J.P. et al. (2012). The effect of cage and house design on egg production and egg weight of White Leghorn hens: An epidemiological study. Poultry Science <u>91:</u> 1522-1535

Kiess, A.S. et al. (2012). A standardized cage measurement system: A versatile tool for calculating usable cage space. Journal of Applied Poultry Research 21: 657-668

## **Comparison Furnished vs. Conventional cages:**

Guesdon, V. et al. (2004a). Laying performance and egg quality in hens kept in standard or furnished cages. Anim. Res. 53: 45-57

Guesdon, V. et al. (2004b). Humeral quality and adrenal responsiveness in laying hens reared in standard and furnished cages. Anim. Res. <u>53:</u> 235-243

Tauson, R. (2005). Management and housing systems for layers – effects on welfare and production. World's Poultry Science Journal <u>61</u>: 477-490

Valkonen, E. et al. (2008). Effects of dietary content on the performance of laying hens in furnished and conventional cages. Poultry Science 87 844-852

Pohle, K. et al. (2009a). Furnished cage system and hen well-being: Comparative effects of furnished cages and battery cages on behavior exhibitions in White Leghorn chickens. Poultry Science <u>88</u>: 1559-1564

Pohle, K. et al. (2009b). Comparative effects of furnished and battery cages on egg production and physiological parameters in White Leghorn chickens. Poultry Science 88: 2042-2051

Shimmura, T. et al. (2009). Effects of separation of resources on behavior, physical condition and production of laying hens in furnished cages. Br. Poultry Science <u>50:</u> 39-46

Tactacan, G.B. et al. (2009). Performance and welfare of laying hens in conventional and enriched cages. Poultry Science 88: 698-707

Shimmura, T. et al. (2010). Multi-factorial investigation of various housing systems of laying hens. Br. Poultry Science <u>51:</u> 31-42

Neijat, M. et al. (2011). Calcium and phosphorous dynamics in commercial laying hens housed in conventional or enriched cage systems. Poultry Science <u>90:</u> 2383-2396

## Comparison Floor pens or Free-range vs. Cages (Furnished or Conventional):

Appleby, M.C. (1984). Factors affecting floor laying by domestic hens: a review. World's Poultry Science Journal <u>40</u>: 241-249

Tauson, R. et al. (1999). Effect of two floor housing systems and cages on health, production, and fear response in layers. J. Appl. Poultry Res. 8: 152-159

Lima, A.M.C et al. (2005). Evaluating two systems of poultry production: conventional and free-range. Brazilian Journal of Poultry Science 7: 215-220

Savory, C.J. et al (2006). Behavioural responses to different floor space allowances in small groups of laying hens. Br. Poultry Science <u>47:</u> 120-124

Singh, R. et al. (2009a). Production performance and egg quality of four strains of laying hens kept in conventional cages and floor pens. Poultry Science <u>88</u>: 256-264

Huneau-Salaűn, V. et al. (2010). Evaluation of common cleaning and disinfection programmes in battery cage and on-floor layer houses in France. Br. Poultry Science 51: 204-212

Sherwin, C.M. et al. (2010). Comparison of the welfare of layer hens in 4 housing systems in the UK. Br. Poultry Science <u>51:</u> 488-499

Tuyttens, F.A.M. et al. (2011). Survey of egg producers on the introduction of alternative housing systems for laying hens in Flanders, Belgium. Poultry Science 90: 941-950

Golden, J.B. et al. (2012). A comparative examination of rearing parameters and layer production performance for brown egg-type pullets grown for either free-range or cage production. Journal of Applied Poultry Research <u>21:</u> 95-102

## **Dustbath:**

Olsson, I.A. et al. (2002). How important is social facilitation for dustbathing in laying hens? Applied Animal Behaviour Science <u>79:</u> 285-297

Harlander-Matauschek, A. et al. (2006). The demand of laying hens for feathers and wood shavings. Applied Animal Behaviour Science 101: 102-110

Hetland, H. et al. (2007). Inclusion of dust bathing materials affects nutrient digestion and gut physiology of layers. J. Appl. Poultry Res. <u>16:</u> 22-26

Jong, de, I.C. et al. (2007). Strength of preference for dustbathing and foraging substrates in laying hens. Applied Animal Behaviour Science 104: 24-36

Wall, H. et al. (2008a). Effects of litter substrate and genotype on layers' use of litter, exterior appearance, and heterophil:lymphocyte ratios in furnished cages. Poultry Science <u>87</u>: 2458-2465

Wichman, A. et al. (2008). Hens are motivated to dustbathe in peat irrespective of being reared with or without a suitable dusbathing substrate. Animal Behaviour <u>75:</u> 1525-1533

Scholz, B. et al. (2010). Food, wood, or plastic as substrates for dustbathing and foraging in laying hens: a preference test. Poultry Science 89: 1584-1589

Scholz, B. et al. (2011). Litter lipid content affects dustbathing behavior in laying hens. Poultry Science <u>90:</u> 2433-2439

#### **Furnished cages:**

Appleby, M.C. (1998a). Modification of laying hen cages to improve behavior. Poultry Science 77: 1828-1832

Appleby, M.C. (1998b). The Edinburgh modified cage: effects of group size and space allowance on Brown laying birds. J. Appl. Poultry Res. <u>7:</u> 152-161

Bell, D.D. et al. (1998). Environment enrichment devices for cages laying hens. J. Appl. Poultry Res. <u>7:</u> 19-26

Appleby, M.C. et al. (2002). Development of furnished cages for laying hens. Br. Poultry Science 43: 489-500

Wall, H. et al. (2002). Effect of nest design, passages, and hybrid on use of nest and production performance of layers in furnished cages. Poultry Science 81: 333-339

Wall, H. et al. (2004). Pop hole passages and welfare in furnished cages for laying hens. Br. Poultry Science <u>45:</u> 20-27

Vits, A. et al. (2005). Production, egg quality, bone strength, claw length, and keel bone deformities of laying hens housed in furnished cages with different group sizes. Poultry Science <u>84</u>: 1511-1519

Weitzenbürger, D. et al. (2006). Macroscopic and histopathological alterations of foot pads of laying hens kept in small group housing systems and furnished cages. Br. Poultry Science <u>47:</u> 533-543

Albentosa, M.J. et al. (2007). Evaluation of the effects of cage height and stocking density on the behavior of laying hens in furnished cages. Br. Poultry Science 48: 1-11

Michel, V. et al. (2007). Systèmes de production et bien-être en élevage de poules pondeuses. INRA Prod. Anim. <u>20:</u> 47-52

Shimmura, T. et al. (2008b). Relation between social order and use of resources in small and large furnished cages for laying hens. Br. Poultry Science <u>49:</u> 516-524

Barnett, J.L. et al. (2009a). The effects of a perch, dust bath, and nest box, either alone or in combination as used in furnished cages, on the welfare of laying hens. Poultry Science 88: 456-470

Guinebretière, M. et al. (2012). Cage hygiene, laying location, and egg quality: The effects of linings and litter provision in furnished cages for laying hens. Poultry Science 91: 808-816

#### Health:

Kijlstra, A. et al. (2006). Animal health in organic livestock production systems: a review. NJAS – Wageningen Journal of Life Sciences <u>54:</u> 77-94

Hoorebeke, van S. et al. (2010). The influence of the housing system on *Salmonella* infections in laying hens: A review. Zoonoses and Public Health. Doi:10.1111/j.1863-2378.2010.01372x

Schwaiger, K. et al. (2010). Comparative analysis on antibiotic resistance characteristics of *Listeria spp.* and *Enterococcus spp.* isolated from laying hens and eggs in conventional and organic keeping systems in Bavaria, Germany. Zoonoses and Public Health <u>57:</u> 171-180

Arbona, D.V. et al. (2011). A comparison of humoral immune function in response to a killed Newcastle's vaccine challenge in caged vs. free-range Hy-line Brown layers. International Journal of Poultry Science 10: 315-319

#### **Nest Boxes:**

Cooper, J.J. et al. (1996). Demand for nest boxes in laying hens. Behaviour processes 36: 171-182

Walker, A.W. et al. (1998). Egg shell colour is affected by laying cage design. Br. Poultry Science 39: 696-699

Lundberg, A. et al. (1999). The impact of social factors on nesting in laying hens (*Gallus gallus domesticus*). Applied Animal Behaviour Science <u>64:</u> 57-69

Struelens, E. et al. (2005). Design of laying nests in furnished cages: influence of nesting material, nest box position and seclusion. Br. Poultry Science 46: 9-15

Zupan, M. et al. (2008). Comparison of the prelaying behavior of nest layers and litter layers. Poultry Science <u>87</u>: 399-404

Kruschwitz, A. et al. (2008). Nest preference of laying hens (*Gallus gallus domesticus*) and their motivation to exert themselves to gain nest access. Applied Animal Behaviour Science 112: 321-330

Riber, A.B. (2010). Development with age of nest box use and gregarious nesting in laying hens. Applied Animal Behaviour Science 123: 24-31

Buchwalder, T. et al. (2011). Assessment of colony nests for laying hens in conjunction with the authorization procedure. Applied Animal Behaviour Science <u>134</u>: 64-71

Lentfer, T. et al. (2011). Influence of nest site on the behavior of laying hens. Applied Animal Behaviour Science <u>135:</u> 70-77

Stämpfli, K. et al. (2011). Influence of nest-floor slope on the nest choice of laying hens. Applied Animal Behaviour Science <u>135:</u> 286-292

Wall, H. (2011). Production performance and proportion of nest eggs in layer hybrids housed in different designs of furnished cages. Poultry Science <u>90</u>: 2153-2161

Icken, W. et al. (2012). New phenotypes for new breeding goals in layers. World's Poultry Science Journal. <u>68:</u> 387-399

Riber, A.B. (2012a). Nest sharing under semi-natural conditions in laying hens. Applied Animal Behaviour Science 136: 44-49

Riber, A.B. (2012b). Gregarious nesting – An anti-predator response in laying hens. Applied Animal Behaviour Science <u>138:</u> 70-78

Riber, A.B. et al. (2013). Changes in position and quality of preferred nest box: Effects on nest box use by laying hens. Applied Animal Behaviour Science 148: 185-191

Wall. H. et al. (2013). Nest lining in small-group furnished cages for laying hens. Journal of Applied Poultry Science <u>22:</u> 474-484

#### **Outdoor:**

Hermansen, J.E. et al. (2004). Integration of organic farming production into land use with special reference to swine and poultry. Livestock Production Science <u>90:</u> 11-26

Mahboub, H.D.H. et al. (2004). Outdoor use, tonic immobility, heterophil/lymphocyte ratio and feather condition in free-range laying hens of different genotype. Br. Poultry Science <u>45:</u> 738-744

Hegelund, L. et al. (2005). Use of the range area in organic egg production systems: effect of climatic factors, flock size, age and artificial cover. Br. Poultry Science 46: 1-8

Hegelund, L. et al. (2006). Welfare and productivity of laying hens in commercial organic egg production systems in Denmark. NJAS – Wageningen Journal of Life Sciences <u>54:</u> 147-155

Knierim, U. (2006). Animal welfare aspects of outdoor runs for laying hens: a review. NJAS – Wageningen Journal of Life Sciences <u>54:</u> 133-145

Zeltner, E. et al. (2008). Factors involved in the improvement of the use of hen runs. Applied Animal Behaviour Science <u>114:</u> 395-408

Wang, X.L. et al. (2009). Laying performance and egg quality of blue-shelled layers as affected by different housing systems. Poultry Science 88: 1485-1492

Sossidou, E.N. et al. (2011). Pasture-based systems for poultry production: implications and prespectives. World's Poultry Science Journal 67: 47-58

Breitsameter, L. et al. (2014). Sward botanical composition and sward quality affect the foraging behavior of free-range laying hens. Applied Animal Behaviour Science <u>150:</u> 27-36

## Perches:

Scott, G.B. et al. (1997). Ability of laying hens to negotiate horizontal perches at different heights, separated by different angles. Br. Poultry Science 38: 48-54

Olsson, I.A. et al. (2000). Night-time roosting in laying hens and the effect of thwarting access to perches. Applied Animal Behaviour Science 68: 243-256

Channing, C.E., et al. (2001). Spatial distribution and behaviour of laying hens housed in an alternative system. Applied Animal Behaviour Science 72: 335-345

Cordiner, L.S. et al. (2001). Use of perches and nestboxes by laying hens in relation to social status, based on examination of consistency of ranking orders and frequency of interaction. Applied Animal Behaviour Science 71: 305-317

Moinard, C. et al. (2004). Accuracy of laying hens in jumping upwards and downwards between perches in different light environments. Applied Animal Behaviour Science <u>85</u>: 77-92

Moinard, C. et al. (2005). Effects of obstructed take-off and landing perches on the flight accuracy of laying hens. Applied Animal Behaviour Science <u>93:</u> 81-95

Heikkila, M. et al. (2006). Development of perching behaviour in chicks reared in enriched environment. Applied Animal Behaviour Science <u>99:</u> 145-156

Wall, H. et al. (2007). Perch arrangements in small-group furnished cages for laying hens. J. Appl. Poultry Res. 16: 322-330

Wichman, A. et al. (2007). Perching behaviour in chickens and its relation to spatial ability. Applied Animal Behaviour Science 105: 165-179

Sandilands, V. et al. (2009). Providing laying hens with perches: fulfilling behavioural needs but causing injury?. Br. Poultry Science <u>50</u>: 395-406

Schrader, L. et al. (2009). Night-time roosting in the domestic fowl: the height matters. Applied Animal Behaviour Science <u>121:</u> 179-183

Struelens, E. et al. (2009). Perch width preferences of laying hens. Br. Poultry Science 50: 418-423

Pickel, T. et al. (2010). Perch material and diameter affects particular perching behaviours in laying hens. Applied Animal Behaviour Science <u>127:</u> 37-42

Pickel, T. et al. (2011). Pressure load on keel bone and food pads in perching laying hens in relation to perch design. Poultry Science <u>90:</u> 715-724

Pickel, T. et al. (2011). Roosting behavior in laying hens on perches of different temperatures: Trade-offs between thermoregulation, energy budget, vigilance and resting. Applied Animal Behaviour Science <u>134</u>: 164-169

Donaldson, C. et al. (2012). Aerial perches and free-range laying hens: The effect of access to aerial perches and of individual bird parameters on keel bone injuries in commercial free-range laying hens. Poultry Science 91: 304-315

Donaldson, C. et al. (2012). The influence of access to aerial perches on fearfulness, social behavior and production parameters in free-range laying hens. Applied Animal Behaviour Science 141: 51-60

Enneking, S.A. et al. (2012). Early access to perches in caged White Leghorn pullets. Poultry Science 91: 2114-2120

Yan, F.F. et al. (2013). Effects of perch access and age on physiological measures of stress in caged White Leghorn pullets. Poultry Science <u>92</u>: 2853-2859

Chen, D-H. et al. (2014). Choice of perch characteristics by laying hens in cages with different group size and perching behaviours. Applied Animal Behaviour Science <u>150</u>: 37-43

## **Lighting:**

Shanawany, M.M. (1982). The effect of ahemeral light and dark cycles on the performance of laying hens – (A review). World's Poultry Science Journal 38: 120-126

Ernst, R.A. et al. (1992). Effect of lighting and moving age on performance of Leghorn pullets. J. Appl. Poultry Res. 1: 291-295

Christmas, R.B. et al. (1996). Effect of light stimulation on pullets. J. Appl. Poultry Res. <u>5:</u> 173-179

Lewis, P.D. et al. (1999). Light intensity and performance of domestic pullets. World's Poultry Science Journal 55: 241-250

Leeson, S. et al. (2004). Changes in light intensity during the rearing period can influence egg production in domestic fowl. Br. Poultry Science 45: 316-319

Morris, T.R. (2004). Environmental control for layers. World's Poultry Science Journal <u>60:</u> 163-175

Yildiz, A. et al. (2006). Effects of cage location and tier level with respect to light intensity in semiconfined housing on egg production and quality during the late laying period. J. Appl. Poultry Res. <u>15</u>: 355-361

Er, D. et al. (2007). Effect of monochromatic light on the egg quality of laying hens. J. Appl. Poultry Res. <u>16:</u> 605-612

Kristensen, H.H. et al. (2009). Light intensity and social communication between hens. Br. Poultry Science <u>50:</u> 649-656

Collins, S. et al. (2011). Investigating the importance of vision in poultry: Comparing behavior of blind and sighted chickens. Applied Animal Behaviour Science <u>133:</u> 60-69

O'Connor, E.A. et al. (2011). Effect of low light and high noise on behaviour activity, physiological indicators of stress and production in laying hens. British Poultry Science 52: 666-674

Hester, P.Y. et al. (2011). Effect on lighting programs during the pullet phase on skeletal integrity of egg-laying strains of chickens. Poultry Science <u>90:</u> 1645-1651

## **Moulting:**

Webster, A.B. (1995). Immediate and subsequent effects of a short fast on the behavior of laying hens. Applied Animal Behaviour Science 45: 255-266

Webster, A.B. (2000). Behavior of white leghorn laying hens after withdrawal of feed. Poultry Science 79: 192-200

Keshavarz, K. et al. (2002). An investigation of different molting techniques with an emphasis on animal welfare. J. Appl. Poultry Res. <u>11:</u> 54-67

Bell, D.D. (2003). Historical and current molting practices in the U.S. table egg industry. Poultry Science 82: 965-970

Biggs, P.E. et al. (2003). Evaluation of nonfeed removal methods for molting programs. Poultry Science <u>82</u>: 749-753

Webster, A.B. (2003). Physiology and behavior of the hen during induced molt. Poultry Science 83: 992-1002

Anderson, K.E. et al. (2004). Effects of bird age, density, and molt on behavior profiles of two commercial layer strains in cages. Poultry Science <u>83</u>: 15-23

Kim, W.K. et al. (2005). Comparisons of molting diets on skeletal quality and eggshell parameters in hens at the end of the second egg-laying cycle. Poultry Science <u>84</u>: 522-527

Landers, K.L. et al. (2005). Potential of alfalfa as an alternative miolt induction diet for laying hens: egg quality and consumer acceptability. Bioresource Technology <u>96:</u> 907-911

Koelkebeck, K.W. et al. (2006). Nonwithdrawal molting programs. J. Appl. Poultry Res. 15: 483-491

McCowan, B. et al. (2006). Effects of induced molting on the well-being of egg-laying hens. J. Applied Animal Welfare Science 9: 9-23

Wu, G. et al. (2007b). Effect of molting method and dietary energy on postmolt performance, egg components, egg solid, and egg quality in Bovans White and Dekalb White hens during second cycle phases two and three. Poultry Science <u>86</u>: 869-876

Dunkley, C.S. et al. (2008). Behavior of laying hens on alfalfa crumble molt diets. Poultry Science <u>87</u>: 815-822

Yousaf, M. et al. (2008). History, changing scenarios and future strategies to induce moulting in laying hens. World's Poultry Science Journal <u>64</u>: 65-75

Gordon, R. et al. (2009). Performance and profitability of second-cycle laying hens as influenced by body weight and body weight reduction during molt. . J. Appl. Poultry Res. 18: 223-231

Mohammadi, L. et al (2009). Using different ratios of bitter vetch (*Vicia ervilia*) seed for moult induction and post-moult performance in commercial laying hens. Br. Poultry Science 50: 207-212

Molino, A.B. et al. (2009). The effects of alternative forced-molting methods on the performance and egg quality of commercial layers. Brazilian Journal of Poultry Science 11: 109-113

Dickey, E.R. et al. (2010). Effects of a premolt calcium and low-energy molt program on laying hen behavior and heterophil-to-lymphocyte ratios. Poultry Science <u>89:</u> 2317-2325

Hassanien, H.H.M. (2011). Effect of force molting programs on egg production and quality of laying hens. Asian Journal of Poultry Science <u>5:</u> 13-20

Khan, R.U. et al. (2011). Zinc-induced moulting : production and physiology <u>67:</u> 497-505

Mazzuco, H. et al. (2011). Comparison of the effect of different methods of molt: Production and welfare evaluation. Poultry Science <u>90:</u> 2913-2920

Mejia, L. et al. (2011). Evaluation of limit feeding varying levels of distillers dried grains with solubles in non-feed-withdrawal molt programs for laying hens. Poultry Science <u>90:</u> 321-327

Patwardhan, D. et al. (2011). Review: feed withdrawal and non feed withdrawal moult. World's Poultry Science Journal <u>67:</u> 253-268

Sgavioli, S. et al. (2011). Performance of layers submitted to different forced-molting methods and different temperatures. Brazilian Journal of Poultry Science <u>13:</u> 207-210

Dickey, E. et al. (2012). Effects of a premolt calcium and low-energy molt program on laying hen performance, egg quality, and economics. Poultry Science 91: 292-303

Gongruttananum, N. et al. (2013). The effects of a short-term molt method using casssava meal, broken rice, or corn on ovarian regression, bone integrity, and postmolt egg production and quality in older (95 week) laying hens. Poultry Science <u>92:</u> 2798-2807

Sarnozkan, S. et al. (2013). Comparison of different molting methods and evaluation of the efffects of postmolt diets supplemented with humate and carnitine on peformance, egg quality, and profitability of laying hens. Journal of Applied Poultry Science <u>22:</u> 689-699

Sgavioli, S. et al. (2013). Effect of forced-molting methods and rearing temperatures on the performance and organ biometrics of laying hens. Brazilian Journal of Poultry Science 15: 169-286

Sgavioli, S. et al. (2013). Dietary fiber inclusion as an alternative to feed fasting to induce molting in commercial layers. Brazilian Journal of Poultry Science <u>15:</u> 365-370

## **Nutrition:**

Freire, R. et al. (1999). The relationship between trough height, feather cover and behaviour of laying hens in modified cages. Applied Animal Behaviour Science <u>63:</u> 55-64

Al-Saffar, A.A. et al. (2002). The response of laying hens to dietary amino acids. World's Poultry Science Journal <u>58</u>: 209-234

Whitehead, C.C. (2002). Nutrition and poultry welfare. World's Poultry Science Journal 58: 349-356

Balnave, D. et al. (2005). Nutrition and management of heat-stressed pullets and laying hens. World's Poultry Science Journal <u>61</u>: 399-406

Steenfeldt, S. et al. (2007). Effect of feeding silages or carrots as supplements to laying hens on production performance, nutrient digestibility, gut structure, gut flora and feather pecking behavior. Br. Poultry Science 48: 454-468

Wu, G. et al. (2007a). Effect of nutrient density on performance, egg components, egg solids, egg quality, and profits in eight commercial Leghorn strains during phase One. Poultry Science <u>86</u>: 691-697

Gunawardana, P. et al. (2009). Effects of dietary energy, protein, and a versatile enzyme on hen performance, egg solids, egg consumption, and egg quality of Hy-Line W-36 hens during second cycle, phase two. J. Appl. Poultry Res. 18: 43-53

Thogerson, C.M. et al. (2009a). The effect of feeder space allocation on behavior of Hy-Line W-36 hens housed in conventional cages. Poultry Science 88: 1544-1552

Thogerson, C.M. et al. (2009b). The effect of feeder space allocation on productivity and physiology of Hy-Line W-36 hens housed in conventional cages. Poultry Science 88: 1544-1552

Weber, G.M. (2009). Improvement of flock productivity through supply of vitamins for higher laying performance and better egg quality. World's Poultry Science Journal <u>65</u>: 443-458

Wu-Haan, W. et al. (2010). The use of distillers dried grains plus soluble as a feed ingredient on air emissions and performance from laying hens. Poultry Science 89: 1355-1359

Anderson, K.E. et al. (2011). Effect of rearing dietary regimen, feeder space and density on egg production, quality and size distribution in two strains of Brown egg layers. International Journal of Poultry Science 10: 169-175

Cufadar, Y. et al. (2011). The effect of dietary calcium concentration and particle size on performance, eggshell quality, bone mechanical properties and tibial mineral contents in moulted laying hens

Hammershøj, M. et al. (2012). The effects of kale (*Brassica oleracea* ssp. *Acephala*), basil (*Ocimum basilicum*) and thyme (*Thyme vulgaris*) as forage material in organic egg production on egg quality. British Poultry Science <u>53:</u> 245-256

Pérez-Bonilla, A. et al. (2012). Effect of crude protein and fat content of diet on productive performance and egg quality of brown egg-laying hens with differnt initial body weight. Poultry Science 91: 1400-1405

Tahmasbi, A.M. et al. (2012). The effects of phytase and root hydroalcoholic extract of *Withania sominfera* on productive performance and bone mineralisation of laying hens in the late phase of production. British Poultry Science <u>53</u>: 204-214

## <u>Salmonella</u>

Gorham, S. et al. (1991). Persistence of *Salmonella enteritidis* in young chickens. Avian Pathology <u>20:</u> 433-437

Reynolds, D. et al. (1997). Evaluation of combined antibiotic and competitive exclusion treatment in broiler breeder flocks infected with *Salmonella enterica serovar eteritidis*. Avian Pathology <u>26:</u> 83-95

Barbour, E. et al. (2001). Preliminary attempts towards production of table egg free from *Salmonella enteritidis*. Journal of Cleaner Production <u>9:</u> 69-73

James, C. et al. (2002). Surface pasteurization of shell eggs. Journal of Food Engineering <u>53:</u> 193-197

Davies, R. et al. (2004). Observations on *Salmonella* contamination of eggs from infected commercial laying flocks where vaccination for *Salmonella enterica* serovar Enteritidis had been used. Avian Pathology <u>33:</u> 133-144

Fiorentin, L. et al. (2005). Oral treatment with bacteriophages reduces the concentration of *Salmonella enteritidis* PT4 in caecal contents of broilers. Avian Pathology <u>34:</u> 258-263

Messens, W. et al. (2006). Eggshell penetration of hen's eggs by *Salmonela enterica* serovar enteritidis upon various storage conditions. Bristish Poultry Science <u>47:</u> 554-560

Reu, de, K. et al. (2006). Eggshell factors influencing eggshell penetration and whole egg contamination by different bacteria, including *Salmonella enteritidis*. International Journal of Food Microbiology <u>112:</u> 253-260

Barrow, P. (2007). Salmonella infections: immune and non-immune protection with vaccines. Avian Pathology <u>36:</u> 1-13

Wales, A. et al. (2007). A longitudinal study of environmental salmonella contamination in caged and free-range layer flocks. Avian Pathology <u>36:</u> 187-197

Dev, S. et al. (2008). Dielectric properties of egg components and microwave heating of in-shell pasteurization of eggs. Journal of Food Engineering 86: 207-214

Gantois, I. et al. (2008). A comparative study on the pathogenesis of egg contamination by different serotypes of *Salmonella*. Avian Pathology <u>37:</u> 399-406

Carrique-Mas, J. et al. (2009). A comparison of the efficacy of cleaning and disinfection methods in eliminating *Salmonella spp.* from commercial egg laying houses. Avian Pathology <u>38:</u> 429-424

Gantois, I. et al. (2009). Mechanisms of egg contamination by *Salmonella enteritidis*. FEMS Microbiology Reviews <u>33:</u> 718-738

Penha Filho, R. et al. (2009). Efficacy of several vaccination programmes in commercial layer and broiler breeder hens against experimental challenge with *Salmonella enterica serovar enteritidis*. Avian Pathology 38: 367-375

Pasquali, F. et al. (2010). Hot air treatment for surface decontamination of table eggs. Food Control 21: 431-435

Pavic, A. et al. (2010). Utilization of a novel autologous killed tri-vaccine (serogroups B[Typhimurium], C[Mbandaka] and E[Orion] for *Salmonella* control in commercial poultry breeders. Avian Pathology 39: 31-39

Barrow, P. et al. (2011). Pullorum disease and fowl typhoid – new thoughts on old diseases: a review. Avian Pathology <u>40</u>: 1-13

Garcia, C. et al. (2011). Assessment of *Salmonella spp.* in feces, cloacal swabs, and eggs (eggshell and content separately) from a laying hen farm. Poultry Science <u>90:</u> 1581-1585

Gast, R.K. et al. (2011). Frequency and persistence of fecal shedding following exposure of laying hens to different oral doses of *Salmonella enteritidis*. International Journal of Poultry Science <u>10:</u> 750-756

Hannah, J. et al. (2011). Horizontal transmission of *Salmonella* and *Campylobacter* among caged and cage-free laying hens. Avian Diseases <u>55:</u> 580-587

Hannah, J. et al. (2011). Colonization of a marker and field strain of *Salmonella* enteritidis and a marker strain of *Salmonella typhimurium* in vancomycin-pretreated and nonpretreated laying hens. Avian Diseases <u>55</u>: 588-592

Holt, P.S. et al. (2011). Changes in Peyer's patch and cecal tonsil B lymphocytes in laying hens following challenge with *Salmonella enteritica* serovar *enteritidis*. International Journal of Poultry Science <u>10:</u> 231-237

Lim, T-H. et al. (2011). Efficacy of bacteriophage therapy on horizontal transmission of *Salmonella gallinarum* on commercial layer chickens. Avian Diseases <u>55:</u> 435-438

McLaren, I et al. (2011). Evaluation of commonly-used farm disinfectnats in wet and dry models of *Salmonella* farm contamination. Avian Pathology <u>40:</u> 33-42

Roll, V. et al. (2011). Research on *Salmonella* in broiler litter reused for up to 14 consecutive flocks. Poultry Science <u>90:</u> 2257-2262

Schulz, J. et al. (2011). The dynamics of *Salmonella* occurrence in commercial laying hen flocks throughout a laying period. Avian Pathology <u>40:</u> 243-248

Vylder, de, J. et al. (2011). Horizontal transmission of *Salmonella enteritidis* in groups of experimentally infected laying hens housed in different housing systems. Poultry Science <u>90:</u> 1391-1396

Wales, A. et al. (2011). A critical review of *Salmonella typhimurium* infection in laying hens. Avian Pathology <u>40:</u> 429-436

Wilke, A. et al. (2011). Analysis of risk factors for the introduction of *Salmonella spp.* and *Campylobacter spp.* in poultry farms using Delphi method. World's Poultry Science Journal 67: 615-630

Barrow, P.A. et al. (2012). The long view: *Salmonella* – the last forty years. Avian Pathology <u>41:</u> 413-420

Chousalkar, K.K. et al. (2012). Recovery of *Salmonella* from eggshell wash, eggshell crush, and egg internal contents of unwashed commercial shell eggs in Australia. Poultry Science <u>91:</u> 1739-1741

Dewaele, I et al. (2012). Persistent *Salmonella enteritidis* environmental contamination on layer farms in the context of an implemented national control program with obligatory vaccination. Poultry Science 91: 282-291

Dewaele, I et al. (2012). Polyphasic characterization of *Salmonella enteritidis* isolates on persistently contaminated farms during the implementation of a national control program with obligatory vaccination: A longitudinal study. Poultry Science <u>91:</u> 2727-2735

Esaki, H. et al. (2012). National surveillance of *Salmonella enteritidis* in commercial eggs in Japan. Epidemiology and Infection doi:10.1017/S0950268812001355

Howard, Z.R. et al. (2012). *Salmonella enteritidis* in shell eggs: Current issues and prospects for control. Food Research International <u>45:</u> 755-764

Lapuz, R.R.S.P. et al. (2012). Comparison of the prevalence of *Salmonella* infection in layer hens from commercial layer farms with high and low rodent densities. Avian Diseases <u>56</u>: 29-34

Li, X. et al. (2012). Surveillance of *Salmonella* prevalence in animal feeds and characterization of the *Salmonella* isolates by serotyping and antimicrobial susceptibility. Foodborne pathogens and Disease <u>9:</u> 692-698

Martelli, F. et al. (2012). *Salmonella* serovars isolated from table eggs: An overview. Food Research International 45: 745-754

Musgrove, M.T. et al. (2012). *Salmonella* collected from nest run cart shelves in commercial shell egg processing facilities. Poultry Science <u>91:</u> 2386-2389

Revolledo, L. et al. (2012). Current perspectives in avian salmonellosis: Vaccines and immune mechanisms of protection. Journal of Applied Poultry Research 21: 418-431

Sasaki, Y. et al. (2012). Risk factors for *Salmonella* prevalence in laying-hen farms in Japan. Epidemiology and Infection <u>140:</u> 982-990

Shirota, K. et al. (2012). Epidemiologic role of feeds in the epidemiology of *Salmonella* senftenbeg contamination in commercial layer farms in Eastern Japan. Avian Diseases 56: 516-520

Umali, D.V. et al. (2012). Transmission and shedding patterns of *Salmonella* in naturally infected captive wild roof rats (*Rattus rattus*) from a *Salmoenlla*-contaminated layer farm. Avian Diseases 56: 288-294

Yamazaki, M. et al (2012). *In vitro* screening of lactobacilli isolated from chicken excreta to control *Salmonella enteritidis* and *typhimurium*. British Poultry Science <u>53:</u> 183-189

Gast, R.K et al. (2013). *Salmonella enteritidis* deposition in eggs after experimental infection of laying hens with different oral doses. Journal of Food Protection <u>76:</u> 108-113

Lee, S-K. et al. (2013). Prevalence, characterization, and antimicrobial susceptibility of *Salmonella gallinarum* isolated from eggs produced in conventional or organic farms in South Korea. Poultry Science <u>92:</u> 2789-2797

Zhang, G. et al. (2013). Comparison of different preenrichment broths, egg:preenrichment broth ratios, and surface disinfection for the detection of *Salmonella* enterica spp. Enterica serovar Enteritidis in shell eggs. Poultry Science 92: 3010-3016

Zhang, G. et al. (2013). Comparison of a novel strategy for the detection and isolation of *Salmonella* in shell eggs with the Food and Drug Administration bacteriological analytical manual method. Poultry Science <u>92:</u> 3266-3274

## **Sustainability**

McGlone, J.J. (2001). Farm animal welfare in the context of other society issues: toward sustainable systems. Livestock Production Science <u>72:</u> 75-81

Appleby, M.C. et al. (2003). What price cheap food? Journal of Agricultural and Environmental Ethics <u>16</u>: 395-408

Boer, de, I.J.M. (2003). Environmental impact assessment of conventional and organic milk production. Livestock Production Science <u>80:</u> 69-77

Cowell, S.J. et al. (2003). Localisation of UK food production: an analysis using land area and energy as indicators. Agriculture, Ecosystems and Environment 94: 221-236

Hovi, M. et al. (2003). Animal health and welfare in organic livestock production in Europe: current state and future challenges. Livestock Production Science 80: 41-53

Appleby, M.C. (2005). Sustainable agriculture is humane, humane agriculture is sustainable. Journal of Agricultural and Environmental Ethics <u>18:</u> 293-303

Farrell, D.J. (2005). Matching poultry production with available feed resources: issues and constraints. World's Poultry Science Journal <u>61</u>: 298-307

Hoffmann, I. (2005). Research and investment in poultry genetic resources – challenges and options for sustainable use. World's Poultry Science Journal 61: 57-70

Pretty, J.N. et al. (2005). Farm costs and food miles: An assessment of the full cost of the UK weekly food basket. Food policy 30: 1-19

Mollenhorst H et al. (2006). On-farm quantification of sustainability indicators: an application to egg production systems. Br. Poultry Science <u>47</u>: 405-417

Deblonde, M. et al. (2007). An ethical toolkit for food companies: Reflections on its use. Journal of Agricultural and Environmental Ethics 20: 99-118

Jones T, et al. (2007). Welfare and environmental benefits of integrating commercially viable free-range broiler chickens into newly planted woodland: A UK case study. Agricultural Systems <u>94</u>: 177-188

Sim, S. et al. (2007). The relative importance of transport in determining an appropriate sustainability strategy for food sourcing. Int. J. LCA <u>12:</u> 422-431

Groot Koerkamp, P.W.G et al. (2008). Designing complex and sustainable agricultural production systems: an integrated and reflexive approach for the case of table egg production in the Netherlands. NJAS – Wageningen Journal of Life Sciences <u>55:</u> 113-138

Kitzes, J. et al. (2008). Shrink and share: humanity's present and future ecological footprint. Philosophical Transactions of the Royal Society B 363: 467-475

Seré, C. et al. (2008). Dynamics of livestock production systems, drivers of change and prospects for animal resources. Animal Genetic Resources Information 42: 3-27

Herrero, M. et al. (2009). Livestock, livelihoods and the environment: understanding the trade-offs. Current Opinion in Environmental Sustainability 1: 111-120

Hodges, J. (2009). Emerging boundaries for Poultry production: challenges, dangers and opportunities. World's Poultry Science Association 65: 5-22

Koning, N. et al. (2009). Will the world have enough to eat? Current Opinion in Environmental Sustainability 1: 77-82

Spiertz, J.H.J. et al. (2009). Crop production and resource use to meet the growing demand for food, feed and fuel: opportunities and constraints. NJAS – Wageningen Journal of Life Sciences <u>56</u>: 281-300

Taylor N et al. (2009). Willingness to pay: Australian consumers and "on the Farm" welfare. Journal of Applied Animal Welfare Science <u>12</u>: 345-359

Brussaard, L. et al. (2010). Reconciling biodiversity conservation and food security: scientific challenges for a new agriculture. Current Opinion in Environmental Sustainability <u>2:</u> 34-42

Gjerris, M. et al. (2010). The price of responsibility: Ethics of animal husbandry in a time of climate change. Journal of Agricultural and Environmental Ethics DOI 10.1007/s10806-010-9270-6

Godfray, H.C.J. et al. (2010). Food security: the challenge of feeding 9 billion people. Science 327: 812-818

McDermott, J.J. et al. (2010). Sustaining intensification of smallholder livestock systems in the tropics. Livestock Science 130: 95-109

Nardone, A. et al. (2010). Effects of climate changes on animal production and sustainability of livestock systems. Livestock Science 130: 57-69

Pardue, S.L. (2010). Symposium: Global views of new agriculture. Food, energy, and the environment. Poultry Science <u>89:</u> 797-802

Spiertz, H. (2010). Food production, crops and sustainability: restoring confidence in science and technology. Current Opinion in Environmental Sustainability <u>2:</u> 439-443

Thiruvenkadan, A.K. et al. (2010. Layer breeding strategies: an overview. World's Poultry Science Journal 66: 477-501

Harvey, M. et al. (2011). The new competition for land: Food, energy, and climate change. Food Policy <u>36</u>: S40-S51

Mench, J. et al. (2011). Sustainability of egg production in the United States – The policy and market context. Poultry Science <u>90:</u> 229-240

Phillis, Y.A. et al. (2011). Sustainability ranking and improvement of countries. Ecological Economics <u>70:</u> 542-553

Rask, K.J. et al. (2011). Economic development and food production-consumtion balance: A growing global challenge. Food Policy <u>36:</u> 186-196

Sumner, D.A. et al. (2011). Economic and market issues on the sustainability of egg production in the United States: Analysis of alternative production systems. Poultry Science <u>90:</u> 241-250

Swanson, J. et al. (2011). Introduction – The socially sustainable egg production project. Poultry Science 90: 227-228

Swanson, J.C. et al. (2011). Integration: Valuing stakeholder input in setting priorities for socially sustainable egg production. Poultry Science <u>90:</u> 2110-2121

Thompson, P.B. et al. (2011). Values and public acceptability dimensions of sustainable egg production. Poultry Science <u>90:</u> 2097-2109

Vinnari, M. et al. (2012). Sustainability of diets: From concepts to governance. Ecological Economics 74: 46-54

Leemans, R. et al. (2013). Redefining environmental sustainability. Current Opinion in Environmental Sustainability <u>5:</u> 272-277

Scholten, M.C.T et al. (2013). Livestock farming with care: towards sustainable production of animal-source food. NJAS – Wageningen Journal of Life Sciences 66: 3-5

Yasunari, T. et al. (2013). Asia: proving ground for global sustainability. Current Opinion in Environmental Sustainability <u>5:</u> 288-292

## **Temperature:**

Mashaly, M.M. et al. (2004). Effect of heat stress on production parameters and immune responses of commercial laying hens. Poultry Science <u>83</u>: 889-894

Franco-Jimenez, D.J. et al. (2007). Physiological changes to transient exposure to heat stress observed in laying hens. Poultry Science <u>86</u>: 538-544

Oguntunji, A.O. et al. (2010). Influence of high environmental temperature on egg production and shell quality: a review. World's Poultry Science Journal 66: 739-749

Ruzal, M. et al. (2011). Ventilation plays an important role in hens' egg production at high ambient temperature. Poultry Science <u>90</u>: 856 - 862

Bozkurt, M. et al. (2012). Performance, egg quality, and immune response of laying hens fed diets supplemented with mannan-oligosaccharide or an essential oil mixture under moderate and hot environmental conditions. Poultry Science 91: 1379-1386

# **Transportation & Disposition:**

Gregory, N.G. et al. (1989). Broken bones in domestic fowl: handling and processing damage in end-of-lay battery hens. Br. Poultry Science <u>30</u> 555-562

Broom, D.M. (1990). Effects of handling and transport on laying hens. World's Poultry Science Journal <u>46</u>: 48-50

Webster, A.B. et al. (1996). Humane on-farm killing of spent hens. J. Appl. Poultry Res. <u>5</u>: 191-200

Newberry, R.C. et al. (1999). Management of spent hens. J. Applied Animal Welfare Science 2: 13-29

Gregory, N.G. (2005). Recent concerns about stunning and slaughter. Meat Science 70: 481-491

Petracci. M., M. Bianchi, C. Cavani, P. Gaspari and A. Lavazza (2006). Preslaughter mortality in broiler chickens, turkeys, and spent hens under commercial slaughtering. Poultry Science 85: 1660-1664

Gerritzen, M. et al. (2007). A note on behaviour of poultry exposed to increasing carbon dioxide concentrations. J. Applied Animal Behaviour Science 108: 179-185

Raj M. (2008). Humane killing of nonhuman animals for disease control purposes. Journal of Applied Animal Welfare Science <u>11</u>: 112-124

Valros, A. et al. (2008). Effect of simulated long transportation on behavioural characteristics in two strains of laying hen chicks. Applied Animal Behaviour Science 109: 58-67

Edge M. et al. (2009). Development of animal welfare standards for the livestock transportation industry: process, challenges, and implementation. Journal of Veterinary Behavior <u>4</u>: 187-192

Fisher A. et al. (2009). The influence of land transportation on animal welfare in extensive farming systems. Journal of Veterinary Behavior  $\underline{4}$ : 157-162

Freeman, S.R. et al. (2009). Alternative method for disposal of spent laying hens: Evaluation of the efficacy of grinding, mechanical deboning, and of keratinase in the rendering process. Bioresource Technology 100: 4515-4520

Witte de, K (2009). Development of the Australian animal welfare standards and guidelines for the land transportation of livestock: Process and philosophical considerations. Journal of Veterinary Behavior <u>4</u>: 148-156

Hindle, V.A. et al. (2010). Animal welfare concerns during the use of the water bath for stunning broilers, hens and ducks. Poultry Science 89: 401-412

McKeegan, D.E.F. et al. (2011). Physiological responses of laying hens during wholehouse killing with carbon dioxide. British Poultry Science <u>52:</u> 645-657

Shields, S.J. et al. (2010). A critical review of electrical water-bath stun systems for Poultry slaughter and recent developments in alternative technologies. Journal of Applied Animal Welfare Science <u>13:</u> 281-299

Turner, P.V. et al. (2012). Mass depopulation of laying hens in whole barns with liquid carbon dioxide: Evaluation of welfare impact. Poultry Science 91: 1558-1568

Weeks, C.A. et al. (2012). Levels of mortality in hens by end of lay on farm and in transit to slaughter in Great Britain. Veterinary Record 170: 647-650

## **Village Poultry:**

Henning, J. et al. (2007). Village chicken production in Myammar – purpose, magnitude and major constraints. World's Poultry Science Journal 63: 308-322

Alders, R.G. et al. (2009). Village poultry: still important to millions, eight thousand years after domestication. World's Poultry Science Journal 65: 181-190

Bell, J.G (2009). Factors limiting production efficiency and profitability from smallholder poultry production. World's Poultry Science Journal 65: 207-210

Besbes, B. (2009). Genotype evaluation and breeding of poultry for performance under sub-optimal village conditions. World's Poultry Science Journal 65: 260-271

Guerne Bleich, E. et al. (2009). Progress towards practical options for improving biosecurity of small-scale poultry producers. World's Poultry Science Journal <u>65:</u> 211-216

McLeod, A. et al. (2009). Structural changes in the poultry sector: will there be smallholder poultry development in 2030? World's Poultry Science Journal <u>65</u>: 191-200

Dana, N. et al. (2011). Genetic and phenotypic parameter estimates for body weights and egg production in Horro chicken of Ethiopia. Tropical Animal Health and production 43: 21-28

Dessie, t. et al. (2012). Current state of knowledge on indigenous chicken genetic resource of the tropics: domestication, distribution and documentation of information on the genetic resources. World's Poultry Science Journal <u>68:</u> 11-20

Mengesha, M. (2012). The issue of Feed-Food competition and chicken production for the demands of foods of animal origin. Asian Journal of Poultry Science 6: 31-43

# Water:

Koelkebeck, K.W. et al. (1999). Performance of laying hens provided water from two sources. J. Appl. Poultry Res. 8: 374-379

# Welfare - General:

Kilgour, R. (1978). The application of animal behavior and the humane care of farm animals. J. Animal Science <u>46</u>: 1478-1486

Appleby, M.C et al. (1991). Welfare of laying hens in cages and alternative systems: environmental, physical and behavioural aspects. World's Poultry Science Journal <u>47</u>: 109-128

Anonymous (1992). FAWC updates the five freedoms. Veterinary Record 131: 357

Cunningham, D.L. et al. (1996). Cage housing, beak trimming, and induced molting of layers: a review of welfare and production issues. J. Appl. Poultry Res. <u>5:</u> 63-69

Bartussek, H. (1999). A review of the animal needs index (ANI) for the assessment of animals' well-being in the housing systems for Austrian proprietary products and legislation. Livestock Production Science <u>61:</u> 179-192

Veissier, I. et al. (1999). Les méthodes d'appréciation du bien-être des animaux d'élevage. INRA Prod. Anim. <u>12:</u> 113-121

Duncan, I.J.H. (2001a). Animal welfare issues in the Poultry industry: Is there a lesson to be learned? J. Applied Animal Welfare <u>4:</u> 207-221

Duncan, I.J.H. (2001b). The pros and cons of cages. World's Poultry Science Journal 57: 381-390

Boer, de, I.J.M. et al. (2002). A method using sustainability indicators to compare conventional and animal-friendly egg production systems. Poultry Science <u>81</u>: 173-181

Appleby, M.C. (2003). The European Union ban on conventional cages for laying hens: History and prospects. J. Applied Animal Welfare Science <u>6</u>: 103-121

Hovi, M. et al. (2003). Animal health and welfare in organic livestock production in Europe: current state and future challenges. Livestock Production Science 80: 41-53

Lindgreen, A. et al. (2003). The impact of food safety and animal welfare policies on supply chain management. The case of the Tesco meat supply chain. British Food Journal <u>105:</u> 328-349

Blokhuis, H.J. (2004). Recent developments in European and international welfare regulations. World's Poultry Science Journal <u>60</u>: 469-477

Borell, von, E. et al. (2004). Organic livestock production in Europe: aims, rules and trends with special emphasis on animal health and welfare. Livestock Production Science <u>90:</u> 3-9

Lund, V. et al. (2004). Natural behavior, animal rights, or making money – a study of Swedish organic farmers' view of animal issues. Journal of Agricultural and Environmental Ethics <u>17:</u> 157-179

Bracke, M.B.M. et al. (2005). Qualitative stakeholder analysis for the development of sustainable monitoring systems for farm animal welfare. Journal of Agricultural and Environmental Ethics <u>18:</u> 27-56

Hester, P.Y. (2005). Impact of science and management on the welfare of egg laying strains of hens. Poultry Science 84: 687-696

Matheny, G. et al. (2005). Human diets and animal welfare: the illogic of the larder. Journal of Agricultural and Environmental Ethics. 18: 579-594

Mollenhorst, H. et al. (2005). On-farm assessment of laying hen welfare: a comparison of one environment-based and two animal-based methods. Applied Animal Behaviour Science <u>90:</u> 277-291

Rodenburg, T.B. et al. (2005a). Welfare, health, and hygiene of laying hens housed in furnished cages and in alternative housing systems. J. Applied Animal Welfare Science 8: 211-226

Binnekamp, M.H.A. et al. (2006). Market barriers for welfare product innovations. NJAS – Wageningen Journal of Life Sciences <u>54:</u> 169-178

Bonney, R.J. (2006). Farm animal welfare at work. Applied Animal Behaviour Science 100: 140-147

Fabre de Loye, A. (2006). Bien-être des poules pondeuses: biologie et réglementation. Bull. Acad. Vét. France <u>159</u>: 219-225

Humphrey, T. (2006). Are happy chickens safer chickens? Poultry welfare and disease susceptibility. Br. Poultry Science <u>47:</u> 379-391

Mol,de R.M. et al. (2006). A computer model for welfare assessment of poultry production systems for laying hens. NJAS – Wageningen Journal of Life Sciences <u>54:</u> 157-1688

Morris, M.C. (2006). The ethics and politics of the caged layer hen debate in New Zealand. Journal of Agricultural and Environmental Ethics 19: 495-514

Moura, D.J. et al. (2006). Animal welfare concepts and strategy for Poultry Production: A review. Brazilian Journal of Poultry Science 8: 137-148

Weeks, C.A. et al. (2006). Behavioural needs, priorities and preferences of laying hens. World's Poultry Science Journal <u>62</u>: 296-307

Blokhuis, H.J. et al. (2007). The LayWel project: welfare implications of changes in production systems for laying hens. World's Poultry Science Journal <u>63</u>: 101-11

Grethe, H. (2007). High animal welfare standards in the EU and international trade – How to prevent potential 'low animal welfare havens'? Food policy 32: 315-333

Mulder, R.W.A.W. et al. (2007). European legislation in relation to food safety in production of poultry meat and eggs. J. Appl. Poultry Res. <u>16</u>: 92-98

O'Hara P et al. (2007). Challenge of developing regulations for production animals that produce the welfare outcomes we want. J. Veterinary Behavior <u>2</u>: 205-212

Veissier, I. et al. (2007). Les recherches sur le bien-être animal: buts, méthodologie et finalité. INRA Prod. Anim. <u>20:</u> 3-10

Blockhuis, H.J et al. (2008). Animal welfare's impact on the food chain. Trends in Food Science & Technology 19: S79-S87

Horne, van, P.L.M. et al. (2008). Animal welfare in poultry production systems: impact of EU standards on world trade. World's Poultry Science Journal <u>64</u>: 40-51

Lawrence, A.B. (2008). Applied animal behaviour science: Past, persent and future prospects. Applied Animal Behaviour Science 115: 1-24

Mollenhorst, H. et al. (2008). Behaviour-based simulation of facility demand of laying hens. Biosystems Engineering 100: 581-590

Rushen, J. (2008). Farm animal welfare since the Brambell report –Guest editorial. Applied Animal Behaviour Science 113: 277-278

Star, L. et al. (2008). A plea to implement robustness into a breeding goal: Poultry as an example. Journal of Agricultural and Environmental Ethics <u>21:</u> 109-125

Veissier, I. et al. (2008). European approaches to ensure good animal welfare. Applied Animal Behaviour Science <u>113:</u> 279-297

Barnett, J.L. et al. (2009b). Welfare monitoring schemes: using research to safeguard welfare of animals on the farm. J. Applied Animal Welfare Science 12: 114-131

Bokkers, E. et al. (2009). Economic, ecological, and social performance of conventional and organic broiler production in the Netherlands. Br. Poultry Science <u>50</u>: 546-557

Ferrante, V. (2009). Welfare issues of modern laying hen farming. Ital. J. Anim. Sci. <u>8</u> (Suppl. 1): 175-189

Main D.C (2009). Application of welfare assessment to commercial livestock production. J. Applied Animal Welfare Science 12: 97-104

Millman S.T. (2009). Animal welfare – Scientific approaches to the issues. J. Applied Animal Welfare Science 12: 88-96

Nicol, C.J. et al. (2009). Associations between welfare indicators and environmental choice in laying hens. Animal Behaviour <u>78:</u> 413-424

Weerd, van de, H.A. et al. (2009). A review of key health-related welfare issues in organic poultry production. World's Poultry Science Journal <u>65</u>: 649-684

Aggrey, S.E (2010). Modification of animals versus modifications of the production environment to meet welfare needs. Poultry Science <u>89</u>: 852-854

Beaumont, C. et al. (2010). The European experience in poultry welfare – A decade ahead. Poultry Science 89: 825-831

Centner, T.J. (2010). Limitations on the confinement of food animals in the Unites States. Journal of Agricultural and Environmental Ethics. DOI 10.1007/s10806-009-9225-y

Cheng, H.W (2010). Breeding of tomorrow's chickens to improve well-being. Poultry Science 89: 805-813

Nielsen, H.M. et al. (2010). How to consider the value of arm animals in breeding goals. A review of current status and future challenges. Journal of Agricultural and Environmental Ethics. DOI 10.1007/s10806-010-9264-4

Sorensen, J.T. et al. (2010). On-farm welfare assessment for regulatory purposes: Issues and possible solutions. Livestock Science <u>131:</u> 1-7

Thompson, P.B. (2010). Why using genetics to address welfare may not be a good idea. Poultry Science 89: 814-821

Tuyttens, F.A.M. et al. (2010). Quantitative verification of the correspondance between the Welfware Quality ® operational definition of farm animal welfare and the opinion of Flemish farmers, citizens and vegetarians. Livestock Science <u>131</u>: 108-114

Vanhonacker, F. et al. (2010). Citizens' views on farm animal welfare and related information provision: exploratory insights from Flanders, Belgium. Journal of Agricultural and Environmental Ethics. DOI 10.1007/s10806-010-9235-9

Bradley, A. et al (2011). Legitimacy & Canadian farm animal welfare standards development: the case of the National Farm Animal Care Council. Journal of Agricultural and Environmental Ethics <u>24:</u> 19-47

Gentle, M. (2011). Pain issues in poultry. Applied Animal Behaviour Science <u>135:</u> 252-258

Held, S.D.E. et al. (2011). Animal play and animal welfare. Animal Behaviour <u>81:</u> 891-

Jong, de, I.C et al. (2011). Major welfare issues in broiler breeders. World's Poultry Science Journal 67: 73-82

Kuhne, F. et al. (2011). Redirected behavior in learning tasks: The commercial laying hen (*Gallus gallus domesticus*) as model. Poultry Science <u>90:</u> 1859-1866

Lagerkvist, C. et al. (2011). Provision of Farm Animal Welfare: Integrating productivity and non-use values. Applied Economic Perspectives and Policy 33: 484-509

Lay, D.D. et al. (2011). Hen welfare in different housing systems. Poultry Science <u>90:</u> 278-294

Lusk, J. et al. (2011). Animal Welfare Economcis. Applied Economic and Policy  $\underline{33:}$  463-483

Silva R. et al. (2011). Poultry welfare scenario in South America: Norms and regulations. Brazilian Journal of Poultry Science 13: 83-89

Tonsor, G.T. et al. (2011). On mandatory labeling of animal welfare attributes. Food Policy 36: 430-437

Zhao, Y. et al. (2011). Willingness to pay: Animal welfare and related influencing factors in China. Journal of Applied Animal Welfare Science 14: 150-161

Dawkins, M.S. (2012). Commercial scale research and assessment of Poultry welfare. British Poultry Science <u>53:</u> 1-6

Ingenbleek, P.T.M et al. (2012). EU animal policy: Developing a comprehensive policy framework. Food Policy <u>37:</u> 690-699

Olsen, R.H et al. (2012). An investigation on first-week mortality in layers. Avian Diseases <u>56:</u> 51-57

Rodić, V. et al. (2012). Socio-economic implications of adopting the EU laying hen welfare regulation in Serbia. World's Poultry Science Journal <u>68:</u> 229-238

Wichman, A. et al. (2012). Cognitive bias and anticipatory behaviour of laying hens housed in basic and enriched pens. Applied Animal Behaviour Science 140: 62-69

Buller, H. et al. (2014). Modifying and commodifying farm animal welfare: The economisation of layer chickens. Journal of Rural Studies <u>33:</u> 141-149